NUMBER OF COLORS

8

**ABRASION** 100,000 Double Rubs

**BRAND** Crypton

**CAUTIONS** Do not use strong solvent cleaners.

**CLEANING CODE** W - Clean fabrics with water-based cleaning agents or

water based foam

**CLEANING** If bleach cleaning is required: Spray a 90%

**INSTRUCTIONS** water/10% bleach mixture on the fabric. Thoroughly

rinse with clean water after bleach-cleaning to

remove any residual bleach and pat dry.

CLEANERS APPROVED Virox 5, Crypton Upholstery Cleaners

CLEANER DISCLAIMER Dilution ratios must be followed. Materials must be wiped with clean water after use and wiped dry with a

clean cloth.

**COLLECTION** Crypton Innovation Stack Book

**CONSTRUCTION** Crypton, Jacquards, Woven

**CONTENT** 100% Polyester

CONTENT BACKING

Crypton

**CROCKING** AATCC 8: Dry = Class 5, AATCC 8: Wet = Class 4.5

**FEATURES** Bacteria/Fungal Resistant, Stain Resistant

FINISH Crypton - Permanent moisture, soil resistance and

anti-microbial protection

FIRE

RETARDANCY

CALTB117-2013, UFAC Class 1

**INDUSTRY** Contract, Education, Healthcare, Hospitality, Office,

Residential

MILDEW RESISTANCE Mildew Resistant

PILLING Passes ASTM D3511 - Class 5

**RAILROADED** Non Railroaded

**REPEAT LENGTH** 5.5" (14.0 cm) Up the Roll

**REPEAT WIDTH** 7.4" (18.8 cm) Across the Roll

**ROLL SIZE** 55 yards (50 m)

**SEAM SLIPPAGE** Passes ASTM D4034 - Fill 103 x Warp 98 LBF

**STYLE** Contemporary

**TEAR STRENGTH** Passes ASTM D2261 - Fill 29 x Warp 26 lbs

TENSILE STRENGTH Passes ASTM D5034 - Fill 249 x Warp 286 lbs

**USES** Decorative Accessories, Healthcare Seating,

Hospitality Seating, Office Seating, Pillows,

Residential Seating

**WEIGHT** 261.05 Grams per Square Meter, 11.92 Ounces per

Linear Yard, 7.15 Ounces per Square Yard

**WIDTH** 55" (140 cm)