

PRODUCT DESCRIPTION	Novelty pattern that looks like folded paper cranes
NUMBER OF COLORS	3
ABRASION	60,000 Double Rubs
BRAND	Crypton
CAUTIONS	Do not use strong solvent cleaners.
CLEANING CODE	W - Clean fabrics with water-based cleaning agents or water based foam
CLEANING INSTRUCTIONS	If bleach cleaning is required: Spray a 90% water/10% bleach mixture on the fabric. Thoroughly rinse with clean water after bleach-cleaning to remove any residual bleach and pat dry.
CLEANERS APPROVED	Virox 5, Crypton Upholstery Cleaners
CLEANER DISCLAIMER	Dilution ratios must be followed. Materials must be wiped with clean water after use and wiped dry with a clean cloth.
COLLECTION	Crypton Trailblazer
CONSTRUCTION	Crypton, Jacquards, Woven
CONTENT	100% Polyester
CONTENT BACKING	Crypton Green
CROCKING	ASTM D3597: Dry = Class 4, ASTM D3597: Wet = Class 5
ECOFRIENDLY	Crypton Green - Greenguard Gold Certified
ELONGATION	Passes ASTM D5034 - Fill 5.00% x Warp 5.00%
FEATURES	Bacteria/Fungal Resistant, Stain Resistant

FINISH	Crypton Green - Permanent moisture, soil resistance and anti-microbial protection
FIRE RETARDANCY	CALTB117-2013, NFPA260, UFAC Class 1
INDUSTRY	Contract, Education, Healthcare, Hospitality, Office, Residential
MILDEW RESISTANCE	Mildew Resistant
PILLING	Passes ASTM D3511 - Class 3
RAILROADED	Non Railroaded
REPEAT LENGTH	27.6" (70.1 cm) Up the Roll
REPEAT WIDTH	14.6" (37.1 cm) Across the Roll
ROLL SIZE	60 yards (55 m)
SEAM SLIPPAGE	Passes ASTM D4034 - Fill 89 x Warp 100 LBF
STYLE	Contemporary
TEAR STRENGTH	Passes ASTM D2262 - Fill 23 x Warp 28 lbs
TENSILE STRENGTH	Passes ASTM D1682 - Fill 167 x Warp 278 lbs
UV RESISTANCE	Colorfastness to Light AATCC 16 - Grade 4 (40 Hours)
USES	Decorative Accessories, Healthcare Seating, Hospitality Seating, Office Seating, Residential Seating
WEIGHT	303.12 Grams per Square Meter, 13.41 Ounces per Linear Yard, 8.94 Ounces per Square Yard
WIDTH	54" (137 cm)

