

<b>PRODUCT DESCRIPTION</b>	Two-tone, textured solid
<b>NUMBER OF COLORS</b>	6
<b>ABRASION</b>	105,000 Double Rubs
<b>BRAND</b>	Crypton
<b>BREAKING</b>	ASTM D5034-95 (2001) Grab Test - Fill 316 x Warp 250 lbs
<b>CAUTIONS</b>	Do not use strong solvent cleaners.
<b>CLEANING CODE</b>	W - Clean fabrics with water-based cleaning agents or water based foam
<b>CLEANING INSTRUCTIONS</b>	If bleach cleaning is required: Spray a 90% water/10% bleach mixture on the fabric. Thoroughly rinse with clean water after bleach-cleaning to remove any residual bleach and pat dry.
<b>CLEANERS APPROVED</b>	Virox 5, Crypton Upholstery Cleaners
<b>CLEANER DISCLAIMER</b>	Dilution ratios must be followed. Materials must be wiped with clean water after use and wiped dry with a clean cloth.
<b>COLLECTION</b>	Crypton Trailblazer
<b>CONSTRUCTION</b>	Crypton, Jacquards, Woven
<b>CONTENT</b>	85% Polyester, 15% Recycled Post Consumer Polyester
<b>CONTENT BACKING</b>	Crypton Green
<b>CROCKING</b>	AATCC 8: Dry = Class 4, AATCC 8: Wet = Class 3
<b>ECOFRIENDLY</b>	Crypton Green - Greenguard Gold Certified, Recycled Content

<b>ELONGATION</b>	Passes ASTM D5034-09 - Fill 1.51% x Warp 1.44%
<b>FEATURES</b>	Bacteria/Fungal Resistant, Stain Resistant
<b>FINISH</b>	Crypton Green - Permanent moisture, soil resistance and anti-microbial protection
<b>FIRE RETARDANCY</b>	CALTB117-2013, UFAC Class 1
<b>INDUSTRY</b>	Contract, Education, Healthcare, Hospitality, Office, Residential
<b>MILDEW RESISTANCE</b>	Mildew Resistant
<b>PILLING</b>	Passes ASTM D3511 - Class 5
<b>RAILROADED</b>	Non Railroaded
<b>REPEAT LENGTH</b>	0.6" (1.5 cm) Up the Roll
<b>REPEAT WIDTH</b>	0.6" (1.5 cm) Across the Roll
<b>ROLL SIZE</b>	60 yards (55 m)
<b>SEAM SLIPPAGE</b>	Passes ASTM D4034 - Fill 100 x Warp 73 LBF
<b>STYLE</b>	Plain/Solids
<b>TEAR STRENGTH</b>	Passes ASTM D2261 - Fill 50 x Warp 26 lbs
<b>TENSILE STRENGTH</b>	Passes ASTM D5034 - Fill 316 x Warp 250 lbs
<b>UV RESISTANCE</b>	Colorfastness to Light AATCC 16 - Grade 4 (40 Hours)
<b>USES</b>	Decorative Accessories, Healthcare Seating, Hospitality Seating, Office Seating, Residential Seating
<b>WEIGHT</b>	362.52 Grams per Square Meter, 16.48 Ounces per Linear Yard, 10.69 Ounces per Square Yard

**WIDTH**

55" (140 cm)

