

<b>NUMBER OF COLORS</b>	85
<b>ABRASION</b>	1,500,000 Double Rubs
<b>BRAND</b>	Naugahyde
<b>CAUTIONS</b>	White Vinyl: Risk of dye transfer from clothing (especially blue jeans) onto white vinyl. This transfer is due to the wide range of dyes now being used in clothing coming from different countries. This is not a defect of the vinyl.
<b>CLEANING CODE</b>	W - Clean fabrics with water-based cleaning agents or water based foam
<b>CLEANING INSTRUCTIONS</b>	Bleach cleanable - 10% bleach/90% water. Rub gently with a soft clean cloth. Wipe with clean water and wipe completely dry immediately.
<b>CLEANERS APPROVED</b>	Virox 5
<b>CLEANER DISCLAIMER</b>	Dilution ratios must be followed. Materials must be wiped with clean water after use and wiped dry with a clean cloth.
<b>COLD CRACK</b>	Product Cold Crack is equal to or greater than -28 degrees Celsius (-18 Fahrenheit)
<b>COLLECTION</b>	Contract Upholstery Vinyl ,
<b>CONSTRUCTION</b>	Vinyl
<b>CONTENT</b>	100% Polyvinyl Chloride (PVC)
<b>CONTENT BACKING</b>	65% Polyester, 35% Cotton
<b>FEATURES</b>	Anti-Bacterial, Oil Resistant, ASTM E 1428-Pink Stain Test, Will not discolor due to heat (up to 400F)
<b>FINISH</b>	Anti-Static, BeautyGard, Sulfide and Stain Resistant Finish

<b>FIRE RETARDANCY</b>	BIFMA Class 1, CALTB117-2013, CAN/ULC-S109, FAR25.853, IMO A.652(16) 8.2, IMO A.652(16) 8.3, MVSS302, NFPA 260 Class 1
<b>HYDROSTATIC HEAD</b>	Federal Test Method Standard 191 Textile Test Methods 191A-5512 - 50 PSI minimum
<b>INDUSTRY</b>	Aviation, Contract, Education, Healthcare, Hospitality, Marine, Office, Residential, RV, Transportation
<b>MILDEW RESISTANCE</b>	Mildew Resistant
<b>RAILROADED</b>	Non Railed
<b>ROLL SIZE</b>	30 yards (27 m)
<b>STYLE</b>	Solids/Plain
<b>TEAR STRENGTH</b>	Passes Federal Test Method Standard 191A-5136 - Weft 12 x Warp 14 lbs
<b>TENSILE STRENGTH</b>	Passes Federal Test Method Standard 191A-5100 - Weft 60 x Warp 65 lbs
<b>USES</b>	Aircraft Seating, Automotive Seating, Bags, Decorative Accessories, Hospitality Seating, Marine Seating, Office Seating, Residential Seating, RV Fabrics
<b>WEIGHT</b>	37.00 Ounces per Linear Yard, 24.66 Ounces per Square Yard
<b>WIDTH</b>	54" (137 cm)



