

NUMBER OF COLORS	7
ABRASION	100,000 Double Rubs
BRAND	Crypton
CAUTIONS	Do not use strong solvent cleaners.
CLEANING CODE	W - Clean fabrics with water-based cleaning agents or water based foam
CLEANING INSTRUCTIONS	If bleach cleaning is required: Spray a 90% water/10% bleach mixture on the fabric. Thoroughly rinse with clean water after bleach-cleaning to remove any residual bleach and pat dry.
CLEANERS APPROVED	Virox 5, Crypton Upholstery Cleaners
CLEANER DISCLAIMER	Dilution ratios must be followed. Materials must be wiped with clean water after use and wiped dry with a clean cloth.
COLLECTION	Crypton Innovation Stack Book
CONSTRUCTION	Crypton, Jacquards, Woven
CONTENT	100% Polyester
CONTENT BACKING	Crypton
CROCKING	AATCC 8: Dry = Class 5, AATCC 8: Wet = Class 4.5
FEATURES	Bacteria/Fungal Resistant, Stain Resistant
FINISH	Crypton - Permanent moisture, soil resistance and anti-microbial protection
FIRE RETARDANCY	CALTB117-2013, UFAC Class 1

INDUSTRY	Contract, Education, Healthcare, Hospitality, Office, Residential
MILDEW RESISTANCE	Mildew Resistant
PILLING	Passes ASTM D3511 - Class 5
RAILROADED	Non Railroaded
REPEAT LENGTH	13.9" (35.2 cm) Up the Roll
REPEAT WIDTH	14.6" (37.2 cm) Across the Roll
ROLL SIZE	55 yards (50 m)
SEAM SLIPPAGE	Passes ASTM D4034 - Fill 93 x Warp 92 LBF
STYLE	Contemporary
TEAR STRENGTH	Passes ASTM D2261 - Fill 61 x Warp 25 lbs
TENSILE STRENGTH	Passes ASTM D5034 - Fill 399 x Warp 310 lbs
UV RESISTANCE	Colorfastness to Light AATCC 16 - Grade 4 (40 Hours)
USES	Decorative Accessories, Healthcare Seating, Hospitality Seating, Office Seating, Residential Seating
WEIGHT	427.97 Grams per Square Meter, 12.62 Ounces per Square Yard, 19.63 Ounces per Linear Yard
WIDTH	56" (142 cm)

