

NUMBER OF COLORS	10
ABRASION	54,000 Double Rubs
BRAND	Crypton
CAUTIONS	Do not use strong solvent cleaners.
CLEANING CODE	W - Clean fabrics with water-based cleaning agents or water based foam
CLEANING INSTRUCTIONS	If bleach cleaning is required: Spray a 90% water/10% bleach mixture on the fabric. Thoroughly rinse with clean water after bleach-cleaning to remove any residual bleach and pat dry.
CLEANERS APPROVED	Virox 5, Crypton Upholstery Cleaners
CLEANER DISCLAIMER	Dilution ratios must be followed. Materials must be wiped with clean water after use and wiped dry with a clean cloth.
COLLECTION	Crypton Embrace Stack Book
CONSTRUCTION	Crypton, Jacquards, Woven
CONTENT	67% Polyester, 17% Recycled Post Industrial Polyester, 16% Recycled Post Consumer Polyester
CONTENT BACKING	Crypton
CROCKING	AATCC 8: Dry = Class 4, AATCC 8: Wet = Class 3
ECOFRIENDLY	Crypton Green Eco-Friendly Woven Jacquard
ELONGATION	Passes ASTM D5304 - Fill 2.7% x Warp 3.2%
FEATURES	Bacteria/Fungal Resistant, Stain Resistant
FINISH	Crypton - Permanent moisture, soil resistance and anti-microbial protection

FIRE RETARDANCY	CALTB117-2013, UFAC Class 1
INDUSTRY	Contract, Education, Healthcare, Hospitality, Office, Residential
MILDEW RESISTANCE	Mildew Resistant
PILLING	Passes ASTM D3511 - Class 5
RAILROADED	Railroaded
REPEAT LENGTH	0.8" (1.9 cm) Up the Roll
REPEAT WIDTH	0.4" (1.0 cm) Across the Roll
ROLL SIZE	55 yards (50 m)
SEAM SLIPPAGE	Passes ASTM D4034 - Fill 97 x Warp 45 LBF
STYLE	Contemporary, Small Scale, Texture
TEAR STRENGTH	Passes ASTM D2261 - Fill 60 x Warp 39 lbs
TENSILE STRENGTH	Passes ASTM D5034 - Fill 261 x Warp 222 lbs
UV RESISTANCE	Colorfastness to Light AATCC 16 - Grade 4
USES	Decorative Accessories, Healthcare Seating, Hospitality Seating, Office Seating, Residential Seating
WEIGHT	10.16 Ounces per Linear Yard, 6.53 Ounces per Square Yard
WIDTH	54" (137 cm)

